

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

May 1, 2009

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Re: United States Patent for *Power Generator*
Application No. 10/529,604; Filed October 1, 2003
Patent No. 7,504,763; Issued March 17, 2009
Our File 040857/290671

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,



Donald M. Hill
Registration No. 40,646

DMH:mf
Enclosure

LEGAL02/31292615v1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,504,763 B2

Page 1 of 1

APPLICATION NO. : 10/529,604

ISSUE DATE : March 17, 2009

INVENTOR(S) : Haswell et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page,

Insert the following:

-- (30) **Foreign Application Priority Data**

Oct. 1, 2002 (GB)0222680.1--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000